

**FIG.1**






FIG.2



**FIG.3**



# FIG.4






FIG.5






This exploded perspective view shows the assembly 31 in more detail. It includes a base plate 19 with a central opening 19a and a side flange 19b. A cylindrical rod 21 is shown passing through the flange 19b and a hole 22 in the base plate. A U-shaped bracket 32 is positioned above the base plate, with its ends 32a and 32b aligned with the rod 21. A pin 35 is shown passing through the bracket 32 and the base plate 19. A small rectangular plate 36 is shown below the bracket 32, with a hole 37 in its center. A screw 37 is shown passing through the hole 37 in the plate 36 and into the base plate 19. A Y-shaped arrow indicates a vertical movement, and a D-shaped arrow indicates a horizontal movement.

# FIG.10




# FIG.11







# FIG.12




# FIG.13




**FIG.14**




**FIG.15**




**FIG.16A**




**FIG.16B**




**FIG.17**




**FIG.18**




**FIG.19**




**FIG.20A**




**FIG.20B**




**FIG.21**




**FIG.22**




**FIG.23**




**FIG.24**




**FIG.25**




**FIG.26**




**FIG.27**



**FIG.28**




**FIG.29**







# FIG.30



# FIG.31



# FIG.32



# FIG.33







FIG.34



# FIG.35



# FIG.36A



# FIG.36B

